European Journal of Phycology

Formerly
British Phycological Journal

Index and Contents of Volume 35
February–November 2000

Cambridge University Press

The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, VIC, 3166, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain

© 2000 British Phycological Society

EUROPEAN JOURNAL OF PHYCOLOGY
CONTENTS AND INDEX TO
VOLUME 35

The Council of the British Phycological Society wish it to be understood that they do not accept responsibility for the accuracy of statements published in the *Journal*, excepting when those statements are contained in an official report of the Council.

Number 1, pp. 1–96, 20 March 2000
Number 2, pp. 97–206, 8 June 2000
Number 3, pp. 207–305, 13 October 2000
Number 4, pp. 307–406, 8 January 2001

ADMIRAAL W. *see* BARRANGUET, CHARANTONI and PLANS 397
ANDERSON N.J. Diatoms, temperature and climatic change 307
ANDREOLI C. *see* PIRO, LENUCCI, DALESSANDRO, LA ROCCA, RASCIO and MORO 331
ASENSI A. *see* ROUSSEAU, DE REVIERS, LECLERC and DELÉPINE 35
AUBRIOT L., WAGNER F. & FALKNER G. The phosphate uptake behaviour of phytoplankton communities in eutrophic lakes reflects alterations in the phosphate supply 255
AXELSSON L. *see* BEER, LARSSON and PORYAN 69
AXELSSON L., MERCADO J.M. & FIGUEROA F.L. Utilization of HCO_3^- at high pH by the brown macroalga *Laminaria saccharina* 53
BALLESTEROS E. *see* GARRABOU 1
BARRANGUET C., CHARANTONI E., PLANS M. & ADMIRAAL W. Short-term response of monospecific and natural algal biofilms to copper exposure 397
BARTLETT J. *see* ZUCCARELLO and YEATES 357
BEEKMAN C.A.C. *see* PAKKER and BREEMAN 109
BEER S., LARSSON C., PORYAN O. & AXELSSON L. Photosynthetic rates of *Ulva* (Chlorophyta) measured by pulse amplitude modulated (PAM) fluorometry 69
BOISSET F., FURNARI G., CORMACI M. & SERIO D. The distinction between *Chondrophycus patentirameus* and *C. paniculatus* (Ceramiales, Rhodophyta) 387
BOJKO M. *see* NIELSEN, YU and MARCUSSEN 207
BREEMAN A.M. *see* PAKKER & BEEKMAN 109
BRINKMEYER R., RAPPÉ M., GALLACHER S. & MEDLIN L. Development of clade- (*Roseobacter* and *Alteromonas*) and taxon-specific oligonucleotide probes to study interactions between toxic dinoflagellates and their associated bacteria 315
CHARANTONI E. *see* BARRANGUET, PLANS and ADMIRAAL 397
CHEPURNOV V.A. & MANN D.G. Variation in the sexual behaviour of *Achnanthes longipes* (Bacillariophyta). III. Progeny of crosses between monoecious and unisexual clones 213
CINELLI F. *see* RINDI 115
COHEN Z. *see* ZOU, ZHANG and RICHMOND 127
CORMACI M. *see* BOISSET, FURNARI and SERIO 387
COX E.J. & WILLIAMS D.M. Systematics of naviculoid diatoms: the interrelationships of some taxa with a stauros 273
DALESSANDRO G. *see* PIRO, LENUCCI, LA ROCCA, RASCIO, MORO and ANDREOLI 331
DE BAAR H.J.W. *see* VAN LEEUWE 295
DE REVIERS B. *see* ROUSSEAU, LECLERC, ASENSI and DELÉPINE 35
DE STEFANO M., MARINO D. & MAZZELLA L. Marine taxa of *Cocconeis* on leaves of *Posidonia oceanica*, including a new species and two new varieties 225
DELÉPINE R. *see* ROUSSEAU, DE REVIERS, LECLERC and ASENSI 35
DIMITRIADIS I. *see* KARYOPHYLLIS, KATSAROS and GALATIS 25
DRUEHL L.D. *see* LIPTACK 135
FALKNER G. *see* AUBRIOT & WAGNER 255
FALKNER G. *see* WAGNER & SAHAN 243
FAMÀ P., OLSEN J.L., STAM W.T. & PROCACCINI G. High levels of intra- and inter-individual polymorphism in the rDNA ITS1 of *Caulerpa racemosa* (Chlorophyta) 349
FIGUEROA F.L. *see* AXELSSON & MERCADO 53
FLYNN K.J. *see* JOHN 11
FURNARI G. *see* BOISSET, CORMACI and SERIO 387
GALATIS B. *see* KARYOPHYLLIS, KATSAROS and DIMITRIADIS 25
GALATIS B. *see* KARYOPHYLLIS & KATSAROS 195
GALLACHER S. *see* BRINKMEYER, RAPPÉ and MEDLIN 315
GARRABOU J. & BALLESTEROS E. Growth of *Mesophyllum alternans* and *Lithophyllum frondosum* (Corallinales, Rhodophyta) in the northwestern Mediterranean 1
GRÜNEWALD K. *see* HAGEN, SCHMIDT and MÜLLER 75
GUIRY M.D. *see* KIM, MAGGS and McIVOR 83
HAGEN C., GRÜNEWALD K., SCHMIDT S. & MÜLLER J. Accumulation of secondary carotenoids in flagellates of *Haematococcus pluvialis* (Chlorophyta) is accompanied by an increase in per unit chlorophyll productivity of photosynthesis 75
HERNÁNDEZ-BECERRIL D.U. Morphology and taxonomy of three little-known marine planktonic *Chaetoceros* species (Bacillariophyceae) 183
HOPPENRATH M. Morphology and taxonomy of *Sinophysis* (Dinophyceae, Dinophysiales) including two new marine and sand-dwelling species from the North German Wadden Sea 153
HOPPENRATH M. & OKOLODKOV Y.B. *Amphidinium glabrum* sp. nov. (Dinophyceae) from the North German Wadden Sea and European Arctic sea ice: morphology, distribution and ecology 61
ICHIMURA T. *see* NAGASATO & MOTOMURA 339
JOHN E.H. & FLYNN K.J. Growth dynamics and toxicity of *Alexandrium fundyense* (Dinophyceae): the effect of changing N:P supply ratios on internal toxin and nutrient levels 11
KARYOPHYLLIS D., KATSAROS C., DIMITRIADIS I. & GALATIS B. F-Actin organization during the cell cycle of *Sphacelaria rigidula* (Phaeophyceae) 25
KARYOPHYLLIS D., KATSAROS C. & GALATIS B. F-actin involvement in apical cell morphogenesis of *Sphacelaria rigidula* (Phaeophyceae): mutual alignment between cortical actin filaments and cellulose microfibrils 195
KATO A. & MASUDA M. Sexually reproducing populations of *Peyssonnelia rosenvingii* (Gigartinales, Rhodophyta) in the North Pacific 93
KATSAROS C. *see* KARYOPHYLLIS, DIMITRIADIS and GALATIS 25
KATSAROS C. *see* KARYOPHYLLIS and GALATIS 195
KAWACHI M. *see* SYM 283
KEVEKORDES K. The effects of secondary-treated sewage effluent and reduced salinity on specific events in the early life stages of *Hormosira banksii* (Phaeophyceae) 365
KIM M.-S., MAGGS C.A., McIVOR L. & GUIRY M.D. Reappraisal of the type species of *Polysiphonia* (Rhodomelaceae, Rhodophyta) 83
LA ROCCA N. *see* PIRO, LENUCCI, DALESSANDRO, RASCIO, MORO and ANDREOLI 331
LARSSON C. *see* BEER, PORYAN and AXELSSON 69
LECLERC M.-C. *see* ROUSSEAU, DE REVIERS, ASENSI and DELÉPINE 35
LENUCCI M. *see* PIRO, DALESSANDRO, LA ROCCA, RASCIO, MORO and ANDREOLI 331

LIPTACK M.K. & DRUEHL L.D. Molecular evidence for an interfamilial laminarialean cross 135
MAGGS C.A. *see* KIM, McIVOR and GUIRY 83
MAIER I. *see* WOLF & MÜLLER 163
MANN D.G. *see* CHEPURNOV 213
MARCUSSEN J. *see* NIELSEN, YU and BOJKO 207
MARINO D. *see* DE STEFANO and MAZZELLA 225
MASUDA M. *see* KATO 93
MAZZELLA L. *see* DE STEFANO & MARINO 225
McIVOR L. *see* KIM, MAGGS and GUIRY 83
MEDLIN L. *see* BRINKMEYER, RAPPÉ and GALLACHER 315
MERCADO J.M. *see* AXELSSON and FIGUEROA 53
MERCADO J.M. & NIELL F.X. Carbon dioxide uptake by *Bostrychia scorpioides* (Rhodophyceae) under emersed conditions 45
MORO I. *see* PIRO, LENUCCI, DALESSANDRO, LA ROCCA, RASCIO and ANDREOLI 331
MOTOMURA T. *see* NAGASATO and ICHIMURA 339
MÜLLER D.G. *see* WOLF and MAIER 163
MÜLLER J. *see* HAGEN, GRÜNEWALD and SCHMIDT 75
MYKLESTAD S.M. *see* TARALDSVIK 189
NAGASATO C., MOTOMURA T. & ICHIMURA T. Spindle formation in karyogamy-blocked zygotes of the isogamous brown alga *Scytosiphon lomentaria* (Scytosiphonales, Phaeophyceae) 339
NIELL F.X. *see* MERCADO 45
NIELSEN J.E., YU S., BOJKO M. & MARCUSSEN J. α-1,4-Glucan lyase-producing endophyte of *Gracilariopsis* sp. (Rhodophyta) from China 207
NILSSON C. *see* VILBASTE, SUNDBÄCK and TRUU 373
OKOLODKOV Y.B. *see* HOPPENRATH 61
OLSEN J.L. *see* FAMÀ, STAM and PROCACCINI 349
PAKKER H., BEEKMAN C.A.C. & BREEMAN A.M. Efficient photoreactivation of UVBR-induced DNA damage in the sublittoral macroalga *Rhodymenia pseudopalmata* (Rhodophyta) 109
PIRO G., LENUCCI M., DALESSANDRO G., LA ROCCA N., RASCIO N., MORO I. & ANDREOLI C. Ultrastructure, chemical composition and biosynthesis of the cell wall in *Koliella antarctica* (Klebsormidiales, Chlorophyta) 331
PLANS M. *see* BARRANGUET, CHARANTONI and ADMIRAAL 397
PORYAN O. *see* BEER, LARSSON and AXELSSON 69
PROCACCINI G. *see* FAMÀ, OLSEN and STAM 349
PROVOT L. *see* UNDERWOOD 173
RAPPÉ M. *see* BRINKMEYER, GALLACHER and MEDLIN 315
RASCIO N. *see* PIRO, LENUCCI, DALESSANDRO, LA ROCCA, MORO and ANDREOLI 331
RICHMOND A. *see* ZOU, ZHANG and COHEN 127
RINDI F. & CINELLI F. Phenology and small-scale distribution of some rhodomelacean red algae on a western Mediterranean rocky shore 115
ROUSSEAU F., DE REVIERS B., LECLERC M.-C., ASENSI A. & DELÉPINE R. Adenocystaceae fam. nov. (Phaeophyceae) based on morphological and molecular evidence 35
SAHAN E. *see* WAGNER and FALKNER 243
SCHMIDT S. *see* HAGEN, GRÜNEWALD and MÜLLER 75
SERIO D. *see* BOISSET, FURNARI and CORMACI 387
SHEATH R.G. *see* SHERWOOD 143
SHERWOOD A.R. & SHEATH R.G. Biogeography and systematics of *Hildenbrandia* (Rhodophyta, Hildenbrandiales) in Europe: inferences from morphometrics and *rbc*L and 18S rRNA gene sequence analyses 143
STAL L.J. & WALSBY A.E. Photosynthesis and nitrogen fixation in a cyanobacterial bloom in the Baltic Sea 97
STAM W.T. *see* FAMÀ, OLSEN and PROCACCINI 349
SUNDBÄCK K. *see* VILBASTE, NILSSON and TRUU 373
SYM S. & KAWACHI M. Ultrastructure of *Calyptrosphaera radiata*, sp. nov. (Prymnesiophyceae, Haptophyta) 283
TANG E.P.Y. & VINCENT W.F. Effects of daylength and temperature on the growth and photosynthesis of an Arctic cyanobacterium, *Schizothrix calcicola* (Oscillatoriaceae) 263
TARALDSVIK M. & MYKLESTAD S.M. The effect of pH on growth rate, biochemical composition and extracellular carbohydrate production of the marine diatom *Skeletonema costatum* 189
TRUU J. *see* VILBASTE, SUNDBÄCK and NILSSON 373
UNDERWOOD G.J.C. & PROVOT L. Determining the environmental preferences of four estuarine epipelic diatom taxa: growth across a range of salinity, nitrate and ammonium conditions 173
VAN LEEUWE M.A. & DE BAAR H.J.W. Photoacclimation by the Antarctic flagellate *Pyramimonas* sp. (Prasinophyceae) in response to iron limitation 295
VILBASTE S., SUNDBÄCK K., NILSSON C. & TRUU J. Distribution of benthic diatoms in the littoral zone of the Gulf of Riga, the Baltic Sea 373
VINCENT W.F. *see* TANG 263
WAGNER F. *see* AUBRIOT and FALKNER 255
WAGNER F., SAHAN E. & FALKNER G. The establishment of coherent phosphate uptake behaviour by the cyanobacterium *Anacystis nidulans* 243
WALSBY A.E. *see* STAL 97
WILLIAMS D.M. *see* COX 273
WOLF S., MÜLLER D.G. & MAIER I. Assembly of a large icosahedral DNA virus, MclaV-1, in the marine alga *Myriotrichia clavaeformis* (Dictyosiphonales, Phaeophyceae) 163
YEATES P.H. *see* ZUCCARELLO & BARTLETT 357
YU S. *see* NIELSEN, BOJKO and MARCUSSEN 207
ZHANG C. *see* ZOU, COHEN and RICHMOND 127
ZOU N., ZHANG C., COHEN Z. & RICHMOND A. Production of cell mass and eicosapentaenoic acid (EPA) in ultrahigh cell density cultures of *Nannochloropsis* sp. (Eustigmatophyceae) 127
ZUCCARELLO G.C., BARTLETT J. & YEATES P.H. Differentiation of *Caloglossa leprieurii* (Rhodophyta) populations in northern and eastern Australia using plastid haplotypes 357

SUBJECT INDEX

Achnanthes, 213
Actin filaments, 195
Actin microfilaments, 25
Adaptation, 243, 255
Adenocystaceae fam. nov., 35
Adenocystis, 35
Alaria marginata, 135
Alexandrium, 315
Alexandrium fundyense, 11
Alga(e), 45
Algae, 163
Algal turfs, 115
Alteromonas, 315
Ammonium, 173
Amphidinium, 61
Anacystis nidulans, 243
Anomoeoneidaceae, 273
Antarctic, 263, 295
Apical cell morphogenesis, 195
Arctic, 61, 263
Assembly, 163
Astaxanthin, 75
Atlantic Ocean, 61
Auxosporulation, 213
AZ, 45, 53
β-1,4-glucan, 331
Bacillariophyta, 213
Bacteria, 315
Baltic Sea, 97, 373
Bioassay, 365
Biofilms, 397
Biogeography, 143, 349
Boergeseniella distribution, 115
Breeding system, 213
Brown algae, 35
Buffer, 53
Caloglossa leprieurii, 357
Calyptrosphaera radiata, 283
Calyptrosphaeraceae, 283
Carbonic anhydrase, 45, 53
Caulerpa racemosa, 349
CCM, 53
Cell cycle, 25
Cell wall biosynthesis, 331
Cell wall polysaccharides, 331
Cellular free amino acids, 189
Cellulose microfibrils, 195
Centrosome, 339
Chaetoceros, 183
Chlorophyll fluorescence, 75
Chlorophyta, 331
Chondrophycus, 387
Chondrophycus paniculatus, 387
Chondrophycus patentirameus, 387
Chytridiomycete, 207
C:N:P mass ratio, 11
CO_2 fixation, 243
Cocconeis, 225
Coherent behaviour, 243
Cold-temperate region, 93
Crustose corallines, 1
Crystalline roots, 283
Cu, 397
Cyanobacteria, 97, 263, 397
Cytochalasin B, 25
Cytokinesis, 25
Cytoskeleton, 25
Dark repair, 109
Delesseriaceae, 357
Diatom, 213
Diatom taxonomy, 273
Diatoms, 173, 373, 397
DIC, 53
Dinoflagellate, 11, 61, 153
Dinophysales, 153
Distribution, 183
Diversity, 373
DNA damage, 109
Ectocarpales, 35
Effluent, 365
Electron microscopy, 163
Embryo development, 365
Emersion, 45
Endophyte, 207
EPA, 127
Epiphytic diatoms, 225
Estuarine, 173
Europe, 143
Eutrophic shallow lakes, 255
Extracellular carbohydrate, 189
Extracellular mono- and polysaccharides, 189
EZ, 45
FISH, 315
Flagellar apparatus, 283
Flat plate reactors, 127
Freshwater, 307
Gigartinales, 93
GIS, 1
Glucan lyase, 207
Gracilariales, 207
Green microalga, 331
Growth, 173, 263
Growth behaviour, 243
Growth rate, 189
Growth rates, 1
Gymnodiniales, 61
Haematococcus pluvialis, 75
Haplotypes, 357
Hildenbrandia, 143
Holococcolithophorid, 283
Hormosira banksii, 365
Hybridization, 135
Image analysis, 1
Inbreeding, 213
Inhibitory activity, 127
Inorganic carbon, 45
Intraindividual variability, 349
Introductions, 349
Iron, 295
Irradiance, 295
Isogamy, 339
ITS, 349
ITS1, 135
Karyogamy block, 339
Ketocarotenoids, 75
Koliella antarctica, 331
Lakes, 307
Laminaria saccharina, 53
Laurencia paniculata, 387
Laurencia patentiramea, 387
Lessoniopsis littoralis, 135
Light acclimation, 75
Linear flow-force relationship, 255
Lophosiphonia, 115
LSU and SSU ribosomal DNA sequences, 35
Macroalga(e), 53

Marine dsDNA virus, 163
Marine sand, 153
Mastogloiaceae, 273
Mediterranean Sea, 115, 387
Microphytobenthos, 173, 373
Molecular phylogeny, 35
Morphology, 83, 93, 183
Morphometrics, 143
Multivariate analyses, 373
Myo-inositol pathway, 331
Myriotrichia clavaeformis, 163
Nannochloropsis oculata, 127
Naviculaceae, 273
Net phosphate uptake, 255
New species, 283
Nitrate, 173
Nitrogen fixation, 97
North Pacific, 93
N:P nutrient ratio, 11
nrDNA, 135
Nutrients, 173, 307
Nutrient-stress, 11
NW Mediterranean, 1
Oligonucleotide probes, 315
Oxygen evolution, 69, 75
PAM fluorometry, 69
Paralytic shellfish toxins, 11
PCR, 135
Peyssonnelia rosenvingii, 93
Peyssonneliaceae, 93
pH, 45, 53, 189
Phaeophyceae, 25, 53, 163, 195
Phenology, 115
Phosphate deficiency, 255
Phosphate uptake, 243
Photoacclimation, 127, 295
Photoperiod, 263
Photoreactivation, 109
Photosynthesis, 45, 53, 69, 75, 263, 295
Phycovirus, 163
Phylogenetic analysis, 273
Phylogeny, 143
Phytoplankton, 295, 307
Phytoplankton communities, 255
Pigments, 263, 295
Plagiotropidaceae, 273
Planktonic diatoms, 183, 307
Polar, 263
Polarity, 195
Polysiphonia, 83, 115
Polysiphonia stricta, 83
Polysiphonia urceolata, 83
Polysiphonieae, 83
Population genetics, 357
Posidonia oceanica, 225
Preferences, 173
Primary production, 97
Primary productivity, 373
Productivity, 127
Prymnesiophycidae, 283
PSP, 11
rbcL gene, 143
rDNA, 135
Red algae, 83
Respiration, 263
Rhodomelaceae, 387
Rhodophyceae, 45
Rhodophyta, 93, 109, 207, 357, 387
Rhodymenia pseudopalmata, 109
River Meuse, 397
Roseobacter, 315
18S rRNA gene, 143
Salinity, 173, 365
Sand-dwelling, 61
Sandy sediments, 373
Scytosiphon lomentaria, 339
Sea ice, 61
Seaweeds, 349
Sexual reproduction, 93, 213
Sinophysis, 153
Skeletonema costatum, 189
Sphacelaria, 25, 195
Spindle formation, 339
SSCP, 357
Stauroneidaceae, 273
Stauros, 273
Storage β-1,3-glucan, 189
Subtidal communities, 1
Synechococcus leopoliensis, 243
Taxonomy, 35, 83, 93, 153, 183, 283, 387
Temperature, 109, 263
Threshold concentration, 243
Threshold value, 255
Thymine dimer, 109
Tip growth, 195
Toxic algae, 315
Type materials, 83
Ultrahigh cell density, 127
Ultrastructure, 283
Ultraviolet-B radiation, 109
Ulva, 69
Ulvicolidium, 35
Wadden Sea, 61
Weighted averaging, 307
Western blot analysis, 75
Womersleyella, 115